

GI Issues Bibliography

- Baska RS et al. Gastrointestinal bleeding during an ultramarathon. *Dig Dis Sci.* 1990 Feb;35(2):276-9.
- Bingham SA. Effect of exercise and physical fitness on large intestinal function. *Gastroenterology.* 1989 Dec;97(6):1389-99.
- Brouns F and E Beckers. "Is the gut an athletic organ?" *Sports Med* 15(4):242-257, 1993
- Butcher JD. "Runner's diarrhea and other intestinal problems of athletes," *American Family Physician* 48(4):623-627, 1993.
- Casey E, Mistry J. Training room management of medical conditions: Sports gastroenterology. *Clin Sports Med* 2005; 24: 525-540
- Clark CS, Kraus BB, Sinclair J. gastroesophageal reflux induced by exercise in healthy volunteers. *JAMA* 1989; 261: 359903601
- Clausen JP. Effect of physical training on cardiovascular adjustments to exercise in man. *Physiol Rev.* 1977 Oct;57(4):779-815
- Coenen C. Does physical exercise influence bowel transit time in healthy young men? *Am J Gastroenterol.* 1992 Mar;87(3):292-5.
- Cordain L, RW Latin and JJ Behnke. "The effects of an aerobic training program on bowel transit time," *J Sports Med and Phys Fit* 26(1):101-104, 1986.
- Dawson DJ, Khan AN, Shreeve DR. Psoas muscle hypertrophy: mechanical cause for "jogger's trots?". *Br Med J (Clin Res Ed).* 1985 Sep 21;291(6498):787-8.
- Fogoros RN. "Runner's trots: gastrointestinal disturbances in runners," *JAMA* 243(17):1743-1744, 1980.
- Fowlie SM, RW Gullan and JS Varma. "Diarrhea and fecal incontinence: unusual causes among endurance athletes," *Phys and Sports Med* 20(1):94-99, 1992.
- Gil S, Yazaki E, Evans D, Aetiology of running-related gastrointestinal dysfunction. How far is the finishing line. *Sports Med* 1998; Dec. 26 (6): 365-378.
- Green GA. "Exercise-induced gastrointestinal symptoms," *Phys and Sports Med* 21(10):60-70, 1993.
- Keeffe EB, Lowe DK, Goss JR, Wayne R. Gastrointestinal symptoms of marathon runners. *West J Med* 1984;141:481-484.
- Kraus BB, Sinclair JW, Castell DO. Gastrointestinal reflux in runners. Characteristics and treatment. *Ann Intern Med* 1990; 112(6):429-433
- Levey JM. "Runners diarrhea: a review," *Am J Med Sports* 4:434-436, 2002.
- Lopez AA, JP Preziosi, P Chateau, et al. "Digestive disorders in triathletes," *Gastroenterology* 100:5, 1991.
- McCabe ME et al. Gastrointestinal blood loss associated with running a marathon. *Dig Dis Sci.* 1986 Nov;31(11):1229-32.
- Meshkinpour H, C Kemp and R Fairshter. "Effect of aerobic exercise on mouth-to-cecum transit time," *Gastroenterology* 96:938-941, 1989.

- Moses FM. Exercise-associated intestinal ischemia. *Curr Sports Med Rep*. 2005 Apr;4(2):91-5.
- Oettle GJ. Effect of moderate exercise on bowel habit. *Gut*. 1991 Aug;32(8):941-4.
- Peters HP, Bas M, Seebregts L et al. Gastrointestinal symptoms in long distance runners, cyclists and triathletes: prevalence, medication, and etiology. *Am J Gastroenterol* 1999;94(6):1570-1581
- Peters HP, De Vries WR, Vanberge-Henegouwen GP et al. Potential benefits and hazards of physical activity on the gastrointestinal tract. *Gut* 2001;48:435-439
- Rehrer NJ, Janssen GM, Brouns F, et al. Fluid intake and gastrointestinal problems in runners competing in a 25-Km race and a marathon. *Int J Sports Med* 1989; 10 Suppl. 1 S22-5
- Rehrer NJ, EJ Beckers, F Brouns, et al. "Effects of dehydration on gastric emptying and gastrointestinal distress while running." *Med Sci Sports Exer* 22(6):790-795, 1990.
- Rehrer NJ, Brouns F, Beckers EJ et al. Gastric emptying with repeated drinking during running and bicycling. *Int J Sports Med* 1990; 11(3):238-243
- Riddoch C, Trinick T. Gastrointestinal disturbances in marathon runners. *Br J Sports Med* 1988;22:71-74.
- Sanchez LD. Ischemic colitis in marathon runners: a case-based review. *J Emerg Med*. 2006 Apr;30(3):321-6.
- Sanchez LD, Corwell B, Berkoff D. Medical problems of marathon runners. *Am J emerg Med* 2006;24:608-615
- Sullivan SN, MC Champion, ND Christofides, et al. "Gastrointestinal regulatory peptide responses in long-distance runners." *Phys and Sports Med* 12(7):77-82, 1984.
- Sullivan SN. "Overcoming runner's diarrhea," *Phys and Sports Med* 20(10):63-68, 1992.
- Sullivan SN. "Exercise-associated symptoms in triathletes," *Phys and Sports Med* 15:105-110, 1987.
- Sullivan SN, C Wong and P Heidenheim. "Does running cause gastrointestinal symptoms? A survey of 93 randomly selected runners compared with controls," *NZ Med Journal* 107:328-330, 1994.
- Sullivan SN, Wong C. Runners' diarrhea. Different patterns and associated factors. *J Clin Gastroenterol*. 1992 Mar;14(2):101-4.
- Swain RA. "Exercise and the gastrointestinal tract," *Med Exer Nutr Health* 4:93-100, 1995.
- Swain RA. "Exercise-induced diarrhea: when to wonder," *Med Sci Sports Exer* 26(5):523-526, 1994.
- Thalmann M, Sodeck GH, Matales A et al. Proton pump inhibition prevents gastrointestinal bleeding in ultramarathon runners: a randomized, double blinded, placebo controlled study. *Br J Sports Med* Apr 2006;40(4) 359-362
- Van Nieuwenhoven MA, Brouns F, Brummer RJ. Gastrointestinal profile of symptomatic athletes at rest and during physical exercise. *Eur J Appl Physiol* 2004;91(4):429-434
- Van Nieuwenhoven MA, Brummer RJ, Brouns F. Gastrointestinal function during exercise: comparison of water, sports drink and sports drink with caffeine. *J Appl Physiol* 2000;89:1079-1085

Van Nieuwenhoven MA, Vriens BE, Brummer RJ et al. Effect of dehydration on gastrointestinal function at rest and during exercise in humans. *Eur J Appl Physiology* 2000;83:578-8

Worobetz LJ, Gerrard DF. Gastrointestinal symptoms during exercise in Enduro athletes: prevalence and speculations on the aetiology. *NZ Med J* 1985;98:644-646.

Yazaki E, Shawdon A, Beasley I et al. The effects of different types of exercise on gastroesophageal reflux. *Aust J Sci Med Sport* 1996; 28:93-96

Up To Date, treatment of dyspepsia and reflux